

## Breeding and Wintering Species – Sierra Madre Occidental BCR 34

Breeding and Wintering Species – Sierra Madre Occidental BCR 34	%Popn. Breeding	Total Score -B	AI B/W	PT	TB/ TN	Total Score – W	% Popn. Wintering
<b>I. Partners in Flight Watchlist</b>							
Abert's Towhee	26	27	4/5	3	3/3	28	
Arizona Woodpecker	Ng	28	5/5	3	3/3	28	
Baird's Sparrow	-	-	-/3	-	-/4	28	
Band-tailed Pigeon	9.81	21	4/2	3	2/2	21	
Bell's Vireo	39.55	26	5/-	3	4/-	-	
Bendire's Thrasher	8.68	26	3/3	3	3/3	28	
Black-capped Gnatcatcher	-	-	-/2	-	-/3	25	
Black-chinned Sparrow	42.4	25	5/4	3	3/3	25	
Blue Grouse	ng	20	2/-	3	3/-	-	
Brewer's Sparrow	-	-	-/4	-	-/2	22	
Costa's Hummingbird	2.96	23	2/-	3	3/-	-	
Elegant Trogon	ng	22	3/2	3	3/3	22	
Elf Owl	ng	26	4/-	3	3/-	-	
Five-striped Sparrow	Ng	27	3/-	3	4/-	-	
Flammulated Owl	Ng	24	3/-	3	3/-	-	
Grace's Warbler	85.35	24	5/-	3	3/-	-	
Gray Vireo	31.1	28	5/-	3	3/-	-	
Lawrence's Goldfinch	-	-	-/3	-	-/3	26	
Lewis's Woodpecker	2.76	24	3/3	3	4/3	24	
Lucy's Warbler	78.55	28	5/-	4	3/-	-	
McCown's Longspur	-	-	-/3	-	-/2	24	
Montezuma Quail	Ng	23	2/5	3	3/4	28	
Olive-sided Flycatcher	0.7	19	2/-	3	4/-	-	
Pinyon Jay	11.23	22	4/4	3	3/2	24	
Red-faced Warbler	Ng	27	4/-	3	3/-	-	
Rufous-winged Sparrow	-	-	-/2	-	-/3	25	
Scaled Quail	11.11	21	3/2	3	3/3	22	

Short-eared Owl	-	-	-/2	-	-/4	19	
Spotted Owl	Ng	26	4/4	3	4/4	27	
Swainson's Hawk	2.47	23	3/-	3	4/-	-	
Thick-billed Kingbird	Ng	26	5/-	3	3/-	-	
Varied Bunting	Ng	23	4/-	3	3/-	-	
Virginia's Warbler	59.05	27	5/-	3	3/-	-	
White-throated Swift	19.07	21	5/2	3	2/2	20	
Willow Flycatcher	0.01	20	2/-	3	5/-	-	
<b>Ila. High Regional ranking</b> (total score: $\geq 19$ & AI+PT $\geq 8$ )							
American Avocet	Ng	22	3/-	3	3/-	-	
Black-chinned Hummingbird	21.83	22	4/-	3	2/-	-	
Black-headed Grosbeak	16.8	22	5/-	3	3/-	-	
Black-throated Gray Warbler	14.94	24	4/-	4	3/-	-	
Black-throated Sparrow	15.45	22	5/4	5	2/2	21	
Botteri's Sparrow	Ng	24	5/-	3	3/-	-	
Bridled Titmouse	Ng	22	3/4	3	3/3	24	
Broad-billed Hummingbird	Ng	23	4/-	3	3/-	-	
Broad-tailed Hummingbird	12.59	23	4/-	3	3/-	-	
Buff-breasted Flycatcher	Ng	23	3/-	3	3/-	-	
Buff-collared Nightjar	Ng	22	2/-	3	3/-	-	
Bushtit	-	-	-/4	-	-/2	19	
Cactus Wren	19.45	22	5/4	4	3/2	20	
Canyon Towhee	32.22	23	5/-	5	3/-	-	
Canyon Wren	-	-	-/4	-	-/2	19	
Cassin's Kingbird	43.99	24	5/-	4	3/-	-	
Cassin's Sparrow	-	-	-/5	-	-/3	24	
Chestnut-collared Longspur	-	-	-/4	-	-/4	24	
Common Poorwill	24.4	20	5/-	3	2/-	-	

Cooper's Hawk	9.89	20	5/-	3	4/-	-	
Cordilleran Flycatcher	12.53	23	5/-	3	3/-	-	
Crissal Thrasher	35.17	26	5/4	3	3/3	24	
Curve-billed Thrasher	-	-	-/4	-	-/3	21	
Eastern Meadowlark	-	-	-/3	-	-/4	19	
Ferruginous Hawk	0.31	22	2/-	3	4/-	-	
Gambel's Quail	49.15	24	5/4	3	3/2	22	
Gila Woodpecker	33.0	24	5/4	3	3/2	22	
Gilded Flicker	Ng	24	2/2	3	3/3	23	
Grasshopper Sparrow	-	-	-/3	-	-/4	20	
Gray Flycatcher	4.17	22	3/-	3	3/-	-	
Greater Pewee	Ng	22	2/-	3	3/-	-	
Green-tailed Towhee	-	-	-/5	-	-/3	-	
Hooded Oriole	51.31	23	5/-	3	3/-	-	
Juniper Titmouse	46.6	24	5/4	4	2/3	23	
Ladder-backed Woodpecker	-	-	-/4	-	-/2	19	
Lark Bunting	-	-	-/4	-	-/3	22	
Loggerhead Shrike	-	-	-/4	-	-/3	20	
Mexican Chickadee	Ng	23	3/5	3	3/3	25	
Mexican Jay	Ng	22	3/5	3	2/3	25	
Mountain Plover	-	-	-/2	-	-/4	27	
Northern Beardless-Tyrannulet	Ng	23	5/-	3	4/-	-	
Northern Bobwhite	-	-	-/5	-	-/4	23	
Northern Goshawk	5.32	21	5/-	3	4/-	-	
Northern Harrier	-	-	-/4	-	-/3	19	
Olive Warbler	Ng	24	4/2	3	3/3	22	
Painted Redstart	Ng	23	4/-	3	3/-	-	
Peregrine Falcon	5.42	19	5/-	3	3/-	-	
Phainopepla	50.8	23	5/-	4	3/-	-	
Plumbeous Vireo	53.07	22	5/-	3	3/-	-	

Pygmy Nuthatch	65.02	23	5/4	3	3/3	22	
Rock Wren	6.18	19	4/-	5	2/-	-	
Rufous-crowned Sparrow	36.68	22	5/4	3	3/3	22	
Sage Sparrow	-	-	-/4	-	-/3	23	
Say's Phoebe	7.73	19	5/-	3	2/-	-	
Scott's Oriole	22.42	23	5/-	3	3/-	-	
Snowy Plover	Ng	23	2/-	3	3/-	-	
Spotted Towhee	16.02	20	5/-	4	3/2	-	
Sulfur-bellied Flycatcher	Ng	23	5/-	3	3/-	-	
Verdin	22.81	21	5/3	3	3/2	20	
Vesper Sparrow	-	-	-/5	-	-/2	19	
Western Bluebird	32.45	22	5/5	3	3/2	23	
Western Wood-Pewee	9.29	19	4/-	5	2/-	-	
Whiskered Screech-Owl	Ng	25	5/5	3	3/3	25	
Williamson's Sapsucker	4.1	22	3/-	3	3/-	-	
Yellow-eyed Junco	-	-	-/5	-	-/3	23	
<b>IIb. High Local Percent Population</b> (total score: 19-21 & $\geq 20\%$ )							
Ash-throated Flycatcher	21.58	19	5/-	3	2/-	-	
Bewick's Wren	25.08	19	4/-	3	3/-	-	
Canyon Wren	26.85	19	5/-	2	3/-	-	
Hepatic Tanager	73.13	19	5/-	2	3/-	-	
<b>IIc. High Local Threats</b> (total score: 19-21 & $TB+TN \leq 7$ )							
Burrowing Owl	-	-	-/3	-	-/4	21	
Cassin's Sparrow	0.92	21	2/-	3	4/-	-	
Ferruginous Hawk	-	-	-/2	-	-/3	20	
Harris's Hawk	-	-	-/3	-	-/4	20	
Loggerhead Shrike	3.68	19	3/-	4	4/-	-	
<b>III. Federally listed species</b> (not meeting							

above criteria)							
Bald Eagle - LT	0.05	19	2/-	3	4/-	-	
<b>IV. Species of Local Interest</b> (not meeting above criteria)							
Yellow-billed Cuckoo	0.05	18	2/-	3	5/-	-	

AI = Importance of Area

PT = Population Trend

TB = Threats to Breeding, TN = Threats to Nonbreeding

B = Breeding, W = Wintering

Ng = not given

Notes:

\*See [www.partnersinflight.org](http://www.partnersinflight.org) - assessment database - for full description of ranking and assessment process.

\*Subspecies have not been ranked and listed, except as noted.

\*Breeding percent of population scores of  $\geq 20\%$  and not listed above: Acorn Woodpecker, Barn Owl, Black-tailed Gnatcatcher, Brown-crested Flycatcher, and Vermilion Flycatcher.



Compiled by Carol Beardmore  
 Sonoran Joint Venture Science Coordinator  
 U.S. Fish and Wildlife Service  
 2321 W. Royal Palm Rd. Suite 103  
 Phoenix, AZ 85021 USA  
 Carol\_beardmore@fws.gov

